



Letter to the Editor

Adipose Derived Stem Cells: Revolutionizing Modern Dentistry

Amirreza Kashefzadeh¹, Farzan Madadizadeh^{2*}

1. Dentistry school, Shahid Sadoughi University of Medical Sciences, Yazd, Iran.

2. Center for healthcare Data modeling, Departments of biostatistics and Epidemiology, School of public health, Shahid Sadoughi University of Medical Sciences, Yazd, Iran.

*. Corresponding Author: Farzan Madadizadeh, madadizadehfarzan@gmail.com

Dear editor

The letter proposed a potential idea: the application of adipose-derived stem cells (ADSCs) for the regeneration of a crucial human tooth. With dental professions consistently looking for alternatives to conventional prostheses and implants, stem cell-based therapies have emerged as a miracle solution with ADSCs due to their abundant availability, multipotency, and relative ease of isolation by minimal invasive liposuction procedures(1). Recent preclinical and clinical investigations have demonstrated the remarkable promise of ADSCs in various dental treatments, ranging from periodontal regeneration to dental pulp reanimation(2, 3). Adipose tissue is an abundant and less invasive source of mesenchymal stem cells. ADSCs have the potential for differentiation into various cell types, i.e., odontoblasts and osteoblasts, necessary in dental pulp regeneration (4), dentin, and alveolar bone. Recent preclinical studies have reported to possess the ability of ADSCs, along with scaffolds and growth factors, to regenerate root structures and even induce pulp-like tissue formation (4).

Key Applications in Dentistry: Periodontal Regeneration: ADSCs have been shown to regenerate

alveolar bone and periodontal ligaments, bringing new hope to periodontitis treatment (5). **Pulp-Dentin Complex Regeneration:** Under appropriate scaffolds and growth factors, ADSCs can be differentiated into odontoblast-like cells, allowing for regeneration of the dentin-pulp complex (4). **Bone Augmentation for Dental Implants:** ADSCs enhance osseointegration and bone formation around dental implants, particularly in patients with compromised quality bone (6).

This technique can offer patients a biological alternative to man-made dental prostheses. Besides, ADSCs carry a low risk of immunologic rejection, particularly when they are autologous tissue. Their angiogenic and anti-inflammatory nature also supports better healing and integration in dental procedures.

Step-by-Step Process for Regeneration of Tooth Using ADSCs;1: ADSC harvesting Source: Subcutaneous fat (by liposuction or limited fat removal). Isolation: Digest fat tissue enzymatically (e.g., collagenase digestion) to obtain the stromal vascular fraction (SVF), which is abundant with ADSCs. Expansion: ADSCs can be cultured in vitro to increase cell numbers. 2: Differentiation to

Dental Lineages. ADSCs can be directed to dental cell types: Odontogenic differentiation: Induction by growth factors (BMP-2, BMP-4, TGF- β) or dental epithelial signals. Neural crest-like cells: ADSCs can be reprogrammed into a neural crest lineage (essential for tooth formation). 3: Scaffold Preparation. A 3D biodegradable scaffold must be prepared to support cell growth and mimic the structure of a tooth: Materials: Collagen, hydrogel, silk fibroin, or synthetic polymers (PLGA). Shape: To resemble a tooth shape (by means of 3D bioprinting or mold-based techniques). 4: Seeding ADSCs onto Scaffold. ADSCs with scaffold and differentiation factors. Might need to co-culture with dental stem cells (e.g., dental pulp stem cells, DPSCs) for better regeneration. 5: Implantation. In vivo testing: Position the cell-seeded scaffold in A subcutaneous pocket of immunocompromised mice (pilot test). The alveolus (after extraction) of animal models. Vascularization & Growth: The construct must integrate with host tissues and form dentin, pulp, and possibly enamel-like formations. 6: Clinical Application (Future Potential). Autologous transplantation: The Patient's own ADSCs are utilized to grow a bioengineered tooth. In conjunction with growth factors (e.g., BMP, FGF) used for stimulation of regeneration.

There are challenges to the widespread clinical application of ADSCs, even though they hold promise. Standardization: Heterogeneity in isolation and expansion protocols hinders reproducibility (7). Safety Concerns: Although ADSCs demonstrate low immunogenicity, long-term assessment is needed to ascertain risks like tumorigenicity (8). Regulatory Hurdles: Lack of standardized guidelines for clinical translation remains a big barrier (9).

Overall, ADSCs with their immense pool are a new method in regenerative dentistry that not only are devoid of the previous treatments' shortcomings but also give patients the vital tooth. Adipose-derived stem cells are a revolution in dental therapy—switching from repair to actual biological regeneration. By tapping into the therapeutic abilities of the body's tissues, we stand at the

threshold of a new era in which lost oral structures do not need to be replaced, but rather renewed. It is critical that the profession of dentistry grasps this potential, fosters continued research, and prepares itself for a time when regenerative therapies are the foundation upon which oral health is established.

Sincerely,

Amirreza Kashefzadeh & Farzan Madadizadeh

REFERENCES

1. Zuk PA, Zhu M, Mizuno H, Huang J, Futrell JW, Katz AJ, et al. Multilineage cells from human adipose tissue: implications for cell-based therapies. *Tissue engineering*. 2001;7(2):211–28. DOI: 10.1089/107632701300062859
2. Aghajani F, Hooshmand T, Khanmohammadi M, Khanjani S, Edalatkhah H, Zarnani A-H, et al. Comparative immunophenotypic characteristics, proliferative features, and osteogenic differentiation of stem cells isolated from human permanent and deciduous teeth with bone marrow. *Molecular biotechnology*. 2016;58:415–27. DOI: 10.1007/s12033-016-9941-8
3. Iwasaki K, Komaki M, Yokoyama N, Tanaka Y, Taki A, Honda I, et al. Periodontal regeneration using periodontal ligament stem cell-transferred amnion. *Tissue Engineering Part A*. 2014;20(3-4):693–704. DOI: 10.1089/ten.TEA.2013.0116
4. Pisciotta A, Carnevale G, Meloni S, Riccio M, De Biasi S, Gibellini L, et al. Human dental pulp stem cells (hDPSCs): isolation, enrichment and comparative differentiation of two sub-populations. *BMC developmental biology*. 2015;15:1–16. DOI: 10.1186/s12861-015-0065-x
5. Tobita M, Uysal AC, Ogawa R, Hyakusoku H, Mizuno H. Periodontal tissue regeneration with adipose-derived stem cells. *Tissue Engineering Part A*. 2008;14(6):945–53. DOI: 10.1089/ten.tea.2007.0048
6. Behnia H, Khojasteh A, Soleimani M, Tehrani A, Atashi A. Repair of alveolar cleft defect with mesenchymal stem cells and

platelet derived growth factors: a preliminary report. *Journal of Cranio-Maxillofacial Surgery*. 2012;40(1):2–7. DOI: 10.1016/j.jcms.2011.02.003

7. Dominici M, Le Blanc K, Mueller I, Slaper-Cortenbach I, Marini F, Krause D, et al. Minimal criteria for defining multipotent mesenchymal stromal cells. The International Society for Cellular Therapy position statement. *Cytotherapy*. 2006;8(4):315–7. DOI: 10.1080/14653240600855905

8. Levi B, Longaker MT. Concise review: adipose-derived stromal cells for skeletal regenerative medicine. *Stem cells*. 2011;29(4):576–82. , DOI: 10.1002/stem.612**

9. FDA. Regulatory Considerations for Human Cells, Tissues, and Cellular and Tissue-Based Products: Minimal Manipulation and Homologous Use. Guidance for Industry and Food and Drug Administration Staff. (July 2020). Available at: <https://www.fda.gov/regulatory-information/search-fda-guidance-documents/regulatory-considerations-human-cells-tissues-and-cellular-and-tissue-based-products-minimal> .